ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 604 (2000) 304–305

Journal of Organometallic Chemistry

Author Index of Volume 604

Aimeloglou, N., 191
Amberger, H.-D., 296
Amor, F., 126
Ananikov, V.P., 290
Andersen, J.-A.M., 7
Anderson, C., 178
Apperley, D.C., 34

Bachman, R.E., 132
Baker, P.K., 191
Barba, V., 273
Behrens, U., 59
Beletskaya, I.P., 290
Berthet, J.C., 83
Boukherroub, R., 141
Brauer, D.J., 43
Bruce, M.I., 150
Bukowska, L., 241
Buncel, E., 208

Cai, R.-F., 260
Camacho-Camacho, C., 229
Cammell, E.J., 7
Castillo, D., 273
Chantler, J., 219
Ciruelos, S., 103
Cocker, T.M., 132
Contreras, R., 229
Crespo, M., 178
Cuenca, T., 103
Curto, M.J.M., 157

da Costa, M.R.G., 157
Dash, A.K., 83
Das, P.K., 248
Davies, N.A., 34
Davies, S.G., 157
Drew, M.G.B., 191
Duarte, M.T., 157
Dübner, F., 12

Edelstein, N.M., 296
Eisen, M.S., 83, 116
Elbayed, K., 27
Ephritikhine, M., 83

Falloon, S.B., 52
Fanwick, P.E., 219
Farfán, N., 273
Fiedler, J., 267
Fischer, R.D., 34
Font-Bardía, M., 178
Fujii, I., 20

Gabbaï, F.P., 132
Gardès-Gariglio, H., 186
Gatilov, Y.V., 1
Gladysz, J.A., 52
Glaeser, B., 191
Gómez-Sal, P., 103
Graf, V.W., 72
Granger, P., 27
Grobelny, Z., 283
Güizado-Rodriguez, M., 229

Halterman, R.L., 12
Haquette, P., 52
Harris, R.K., 34
Hartmann, H., 267
Herberhold, M., 170
Hey-Hawkins, E., 116
Hiratsuka, H., 20
Hirayama, N., 20
Holland, F., 191
Horiuchi, H., 20
Huang, Z.-E., 260

Jerzykiewicz, L.B., 241
Jimenez-Perez, V.M., 229
Junk, P.C., 116

Kaim, W., 267
Karsch, H.H., 72
Kelly, B.D., 150
Kempgens, P., 27
Kirin, V.P., 1
Kluwe, K., 68
Koch, T., 116
Krishnan, A., 248
Kuczkowski, A., 202
Kühl, O., 116

Lai, W., 197
Leung, W.-H., 197
Louattani, E., 234
Luna, R., 273

Maercker, A., 283
Maksakov, V.A., 1
Manuel, G., 141
Manzanero, A., 103
Meehan, M.M., 191
Miao, S.-B., 214
Milius, W., 170
Mitchenko, S.A., 290

Narisu, 20
Neander, S., 59
Neumüller, B., 68
Nieger, M., 202
Nishiyama, K., 20

Oba, M., 20
Okuda, J., 126
Okutsu, T., 20
Olbrich, F., 59

Pal, S.K., 248
Pasynkiewicz, S., 241
Pawelke, G., 43
Petukhov, P.A., 1
Pietrzykowski, A., 241
Plat, D., 116
Pornet, J., 186
Princet, B., 186

Qingmin, W., 287

Raya, J., 27
Reddmann, H., 296
Resende, C., 157
Robert, F., 99
Rosé, J., 27
Royo, P., 103, 126
Runqiu, H., 287
Rybalova, T.V., 1

Saak, W., 211
Samuelson, A.G., 248
Santillan, R., 273
Schäfer, H., 211
Scheiring, T., 267
Scherer, W., 72
Schultze, H., 296
Schulz, S., 202
Schumann, H., 12
Sebastián, A., 103
Siebel, E., 34
Sinou, D., 99
Sisak, A., 68
Sizun, C., 27
Skelton, B.W., 150
Słupecki, K., 241
Solans, X., 178
Somoza, F.B., Jr., 116
Sorkau, A., 68
Spaniol, T.P., 126
Stolarzewicz, A., 283
Suades, J., 234
Szafert, S., 52

Takagi, H., 20
Taylor, R.E., 132
Teixeira, F.C., 157
Thiele, K.-H., 68
Tkachev, A.V., 1
Tschinkl, M., 132

Urbańczyk-Lipkowska, Z., 241

PII: S0022-328X(00)00353-3

ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 604 (2000) 304–305

Journal of Organometallic Chemistry

Author Index of Volume 604

Aimeloglou, N., 191
Amberger, H.-D., 296
Amor, F., 126
Ananikov, V.P., 290
Andersen, J.-A.M., 7
Anderson, C., 178
Apperley, D.C., 34

Bachman, R.E., 132
Baker, P.K., 191
Barba, V., 273
Behrens, U., 59
Beletskaya, I.P., 290
Berthet, J.C., 83
Boukherroub, R., 141
Brauer, D.J., 43
Bruce, M.I., 150
Bukowska, L., 241
Buncel, E., 208

Cai, R.-F., 260
Camacho-Camacho, C., 229
Cammell, E.J., 7
Castillo, D., 273
Chantler, J., 219
Ciruelos, S., 103
Cocker, T.M., 132
Contreras, R., 229
Crespo, M., 178
Cuenca, T., 103
Curto, M.J.M., 157

da Costa, M.R.G., 157
Dash, A.K., 83
Das, P.K., 248
Davies, N.A., 34
Davies, S.G., 157
Drew, M.G.B., 191
Duarte, M.T., 157
Dübner, F., 12

Edelstein, N.M., 296
Eisen, M.S., 83, 116
Elbayed, K., 27
Ephritikhine, M., 83

Falloon, S.B., 52
Fanwick, P.E., 219
Farfán, N., 273
Fiedler, J., 267
Fischer, R.D., 34
Font-Bardía, M., 178
Fujii, I., 20

Gabbaï, F.P., 132
Gardès-Gariglio, H., 186
Gatilov, Y.V., 1
Gladysz, J.A., 52
Glaeser, B., 191
Gómez-Sal, P., 103
Graf, V.W., 72
Granger, P., 27
Grobelny, Z., 283
Güizado-Rodriguez, M., 229

Halterman, R.L., 12
Haquette, P., 52
Harris, R.K., 34
Hartmann, H., 267
Herberhold, M., 170
Hey-Hawkins, E., 116
Hiratsuka, H., 20
Hirayama, N., 20
Holland, F., 191
Horiuchi, H., 20
Huang, Z.-E., 260

Jerzykiewicz, L.B., 241
Jimenez-Perez, V.M., 229
Junk, P.C., 116

Kaim, W., 267
Karsch, H.H., 72
Kelly, B.D., 150
Kempgens, P., 27
Kirin, V.P., 1
Kluwe, K., 68
Koch, T., 116
Krishnan, A., 248
Kuczkowski, A., 202
Kühl, O., 116

Lai, W., 197
Leung, W.-H., 197
Louattani, E., 234
Luna, R., 273

Maercker, A., 283
Maksakov, V.A., 1
Manuel, G., 141
Manzanero, A., 103
Meehan, M.M., 191
Miao, S.-B., 214
Milius, W., 170
Mitchenko, S.A., 290

Narisu, 20
Neander, S., 59
Neumüller, B., 68
Nieger, M., 202
Nishiyama, K., 20

Oba, M., 20
Okuda, J., 126
Okutsu, T., 20
Olbrich, F., 59

Pal, S.K., 248
Pasynkiewicz, S., 241
Pawelke, G., 43
Petukhov, P.A., 1
Pietrzykowski, A., 241
Plat, D., 116
Pornet, J., 186
Princet, B., 186

Qingmin, W., 287

Raya, J., 27
Reddmann, H., 296
Resende, C., 157
Robert, F., 99
Rosé, J., 27
Royo, P., 103, 126
Runqiu, H., 287
Rybalova, T.V., 1

Saak, W., 211
Samuelson, A.G., 248
Santillan, R., 273
Schäfer, H., 211
Scheiring, T., 267
Scherer, W., 72
Schultze, H., 296
Schulz, S., 202
Schumann, H., 12
Sebastián, A., 103
Siebel, E., 34
Sinou, D., 99
Sisak, A., 68
Sizun, C., 27
Skelton, B.W., 150
Słupecki, K., 241
Solans, X., 178
Somoza, F.B., Jr., 116
Sorkau, A., 68
Spaniol, T.P., 126
Stolarzewicz, A., 283
Suades, J., 234
Szafert, S., 52

Takagi, H., 20
Taylor, R.E., 132
Teixeira, F.C., 157
Thiele, K.-H., 68
Tkachev, A.V., 1
Tschinkl, M., 132

Urbańczyk-Lipkowska, Z., 241

PII: S0022-328X(00)00353-3

Venkatachalam, T.K., 208

Walton, R.A., 219
Wang, J.X., 83
Wang, Z.-X., 214
Weidenbruch, M., 211
Weng, L.-H., 260
White, A.H., 150
Williams, I.D., 197
Wrackmeyer, B., 170, 229
Wu, Q.-J., 260

Yan, H., 170

Zhang, L.-B., 260
Zhang, Z.-Y., 214
Zhou, X.-G., 260

ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 604 (2000) 306–311

Journal of Organometallic Chemistry

Subject Index of Volume 604

Absorption spectrum
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: L. Experimentelle Erfassung und Simulation der Elektronenstruktur des ersten metallorganischen π-Komplexes eines Lanthanids der zweiten Halbserie: $(\eta^5\text{-}Cp)_3Er{\cdot}CNC_6H_{11}$, 296
Acetylacetonato zirconium complexes
Darstellung und Eigenschaften Heterobimetallischer Komplexe — Kristallstruktur von $[(acac)_3Zr{-}OCCo_3(CO)_9]$, 68
Acidity
Carbanion mechanisms XXI. Solution acidity of triphenylsilane, 208
1,2-Addition
Reaction of trimethylsilyl azide with a digermene in the presence of water: 1,2-addition of hydrazoic acid, 211
Alkyl
Synthesis and crystal structures of $[Rh(TTP)(CH_3)]_2(\mu\text{-}CNpy)$ and $[Rh(TTP)(C_8H_{11})]$ (TTP = 5,10,15,20-tetra(*p*-tolyl)porphyrin dianion; CNpy = 4-cyanopyridine; C_8H_{11} = (5-norbornen-2-yl)methyl), 197
Alkylation of nickelocene
Reactions of nickelocene with diphenylmethyl- and triphenylmethyllithium, 241
Alkyl migration
Alkyl migration reactions—the direct observation of the preferential migration of branched over linear alkyl groups, 7
Alkyne
2,2′:6′,2″-Terpyridine complexes of molybdenum(II) and tungsten(II). X-ray crystal structures of $[MoI(CO)(terpy)(\eta^2\text{-}PhC_2Ph)]I$ and $[WI(terpy)(\eta^2\text{-}PhC_2Ph)_2]I{\cdot}CDCl_3$, 191
Alkyne complexes
Diverse catalytic activity of the cationic actinide complex $[(Et_2N)_3U][BPh_4]$ in the dimerization and hydrosilylation of terminal alkynes. Characterization of the first f-element alkyne π-complex $[(Et_2N)_2U(C{\equiv}C^tBu)(\eta^2\text{-}HC{\equiv}C^tBu)][BPh_4]$, 83
π-Allyl complexes
Reactions of nickelocene with diphenylmethyl- and triphenylmethyllithium, 241
Aluminum
First structural characterization of completely alkyl-substituted Al–Sb Lewis acid–base adducts, 202
Synthesis and structure of fluorinated dialacycles, 132
Amides
Rigid five-coordinate diorganotin derivatives of oxalic acid diamides, studied by ^{119}Sn-NMR and X-ray structural analysis, 229
Amido cyclopentadienyl
Synthetic and reactivity studies of mono- and dicyclopentadienyl titanium, zirconium and hafnium complexes with the chlorodimethylsilyl-cyclopentadienyl ligand. X-ray molecular structure of $Hf\{(\eta^5\text{-}C_5H_4)SiMe_2OSiMe_2(\eta^5\text{-}C_5H_4)\}Cl_2$ and $Zr(\eta^5\text{-}1,3\text{-}^tBu_2C_3H_3)(\eta^5\text{-}C_5H_4SiMe_2\text{-}\eta\text{-}N^tBu)Cl$, 103
Aminomethylation–desilylation
Réactivité du 3,3-bis(triméthylsilyl)propène vis-à-vis des ions iminium issus d'amines secondaires. Accès stéréosélectif à des (*E*)-β-aminovinylsilanes, 186
Anionic phosphane ligands
Phosphane coordination to rare earth metal centers: monomeric, solvent-free complexes of type Cp'_2LnX with phosphanoethyl substituted cyclopentadienyl ligands, 72
ansa-Bis(tetrahydroindenyl)metal
Synthesis and structure of *ansa*-metallocene complexes (M = $ZrCl_2$, $TiCl_2$, YCl, and LuCl) containing the bis(2-methyl-4,5,6,7-tetrahydroinden-yl)dimethylsilane ligand, 12
Antimony
First structural characterization of completely alkyl-substituted Al–Sb Lewis acid–base adducts, 202
Arene complexes
Novel synthesis of indazoles from (η^6-arene)tricarbonylchromium complexes, 157
Asymmetric hydrogenation
Rhodium-catalyzed reduction of α-amino acid precursors using chiral 4-(diphenylphosphanyl)-1-(dialkylamino)butane ligands, 99
Azo ligands
Structures and spectroelectrochemistry (UV–vis, IR, EPR) of complexes $[(OC)_3ClRe]_n(abpy)$, $n = 1, 2$; abpy = 2,2′-azobispyridine, 267

Bimetallic complexes
Darstellung und Eigenschaften Heterobimetallischer Komplexe — Kristallstruktur von $[(acac)_3Zr{-}OCCo_3(CO)_9]$, 68
Bis(tetrahydroindenyl)lutetium chloride
Synthesis and structure of *ansa*-metallocene complexes (M = $ZrCl_2$, $TiCl_2$, YCl, and LuCl) containing the bis(2-methyl-4,5,6,7-tetrahydroinden-yl)dimethylsilane ligand, 12
Bis(tetrahydroindenyl)yttrium chloride
Synthesis and structure of *ansa*-metallocene complexes (M = $ZrCl_2$, $TiCl_2$, YCl, and LuCl) containing the bis(2-methyl-4,5,6,7-tetrahydroinden-yl)dimethylsilane ligand, 12
3,3-Bis(trimethylsilyl)propene
Réactivité du 3,3-bis(triméthylsilyl)propène vis-à-vis des ions iminium issus d'amines secondaires. Accès stéréosélectif à des (*E*)-β-aminovinylsilanes, 186
Boron
Reactions of trifluorovinyl-trifluoromethylboron derivatives, structure of $(F_2C{=}CF)(F_3C)_2B{\cdot}NHMe_2$ and $(HOOC)\text{-}(F_3C)_2B{\cdot}NHMe_2$, 43
Boron chelates
Synthesis and molecular structures of dimeric boron compounds, 273
Boronic acids
Synthesis and molecular structures of dimeric boron compounds, 273
Branched
Alkyl migration reactions—the direct observation of the preferential migration of branched over linear alkyl groups, 7

Carbonyl
Cationic molybdenum complexes with P-coordinated (diphenylphosphino)alkynes, 234

PII: S0022-328X(00)00354-5

Carbonyl complexes
Mixed carbonyl–nitrile complexes of dirhenium(II). The structural characterization and reactivity of salts of the $[Re_2Cl_3(\mu\text{-dppm})_2(CO)(NCMe)_n]^+$ cations (dppm = $Ph_2PCH_2PPh_2$, $n = 1$ or 2), 219

Carbonyl exchange
^{59}Co-NMR spectroscopy of the tetrahedral cluster $Co_4(CO)_{12}$: relaxation and exchange, 27

Carboranes
Metal-induced B–H activation. Addition of phenylacetylene to Cp*Rh-, Cp*Ir-, (*p*-cymene)Ru- and (*p*-cymene)Os half-sandwich complexes containing a chelating 1,2-dicarba-*closo*-dodecaborane-1,2-dichalcogenolate ligand, 170

Catalysis
Alkyl migration reactions—the direct observation of the preferential migration of branched over linear alkyl groups, 7
Diverse catalytic activity of the cationic actinide complex $[(Et_2N)_3U][BPh_4]$ in the dimerization and hydrosilylation of terminal alkynes. Characterization of the first f-element alkyne π-complex $[(Et_2N)_2U(C{\equiv}C^tBu)(\eta^2\text{-}HC{\equiv}C^tBu)][BPh_4]$, 83

Catalytic reaction
The mechanism of C–C bond formation on the Pt(IV) center involving chelate metallocycle ligands, 290

Cationic complexes
2,2′:6′,2″-Terpyridine complexes of molybdenum(II) and tungsten(II). X-ray crystal structures of $[MoI(CO)(terpy)(\eta^2\text{-}PhC_2Ph)]I$ and $[WI(terpy)(\eta^2\text{-}PhC_2Ph)_2]I{\cdot}CDCl_3$, 191

C_6,C_8 chains
Syntheses and reactions of ruthenium complexes containing C_6 and C_8 chains, 150

C–C reductive elimination
The mechanism of C–C bond formation on the Pt(IV) center involving chelate metallocycle ligands, 290

Cesium
Novel 18-crown-6 organometallic rubidium and cesium complexes containing cyclopentadienyl, indenyl, pentamethylcyclopentadienyl, and fluorenyl as carbanions, 59

Charge-transfer
Schiff base linked ferrocenyl complexes for second-order nonlinear optics, 248

Chiral 4-(diphenylphosphanyl)-1-(dialkylamino)butane ligand
Rhodium-catalyzed reduction of α-amino acid precursors using chiral 4-(diphenylphosphanyl)-1-(dialkylamino)butane ligands, 99

Chirality
Oxidative addition of alkyl halides to chiral cyclometallated platinum(II) complexes with thienyl imines. X-ray crystal structure of $[PtMe\{3\text{-}((S)\text{-}PhCHMeNCH)C_4H_2S\}SMe_2]$, 178

Chiral ligand
Syntheses and crystal structure of bridged Os_3-clusters with chiral 3-carane-type ligands, 1

Chiral metallocenes
Synthesis and structure of *ansa*-metallocene complexes (M = $ZrCl_2$, $TiCl_2$, YCl, and LuCl) containing the bis(2-methyl-4,5,6,7-tetrahydroinden-yl)dimethylsilane ligand, 12

Chlorodimethylsilyl–cyclopentadienyl
Synthetic and reactivity studies of mono- and dicyclopentadienyl titanium, zirconium and hafnium complexes with the chlorodimethylsilyl-cyclopentadienyl ligand. X-ray molecular structure of $Hf\{(\eta^5\text{-}C_5H_4)SiMe_2OSiMe_2(\eta^5\text{-}C_5H_4)\}Cl_2$ and $Zr(\eta^5\text{-}1,3\text{-}^tBu_2C_5H_3)(\eta^5\text{-}C_5H_4SiMe_2\text{-}\eta\text{-}N^tBu)Cl$, 103

Chromium
Novel synthesis of indazoles from (η^6-arene)tricarbonylchromium complexes, 157

Clusters
Reactions of nickelocene with diphenylmethyl- and triphenylmethyllithium, 241

Cobalt
Cationic molybdenum complexes with P-coordinated (diphenylphosphino)alkynes, 234
Syntheses and reactions of ruthenium complexes containing C_6 and C_8 chains, 150

Cobalt carbonyl cluster
Darstellung und Eigenschaften Heterobimetallischer Komplexe — Kristallstruktur von $[(acac)_3Zr\text{–}OCCo_3(CO)_9]$, 68

Complex
Reaction of $[(\mu\text{-}RE)(\mu\text{-}CO)Fe_2(CO)_6]^-$ (E = S, Se) with N_2CHCO_2Me. Synthesis and characterisation of $(\mu\text{-}RE)[\mu\text{-}\eta^2\text{-}N{=}NCH(R')CO_2Me]Fe_2(CO)_6$ and $(\mu\text{-}PhSe)[\mu\text{-}\eta^1\text{-}N{=}NCH(Me)CO_2Me]Fe_2(CO)_6$, 214

π-Complexes
Diverse catalytic activity of the cationic actinide complex $[(Et_2N)_3U][BPh_4]$ in the dimerization and hydrosilylation of terminal alkynes. Characterization of the first f-element alkyne π-complex $[(Et_2N)_2U(C{\equiv}C^tBu)(\eta^2\text{-}HC{\equiv}C^tBu)][BPh_4]$, 83

^{59}Co-NMR
^{59}Co-NMR spectroscopy of the tetrahedral cluster $Co_4(CO)_{12}$: relaxation and exchange, 27

15-Crown-5
Decomposition of the crown ether ring in the reaction of K^-, $K^+(15\text{-crown-}5)_2$ with oxetane, 283

18-Crown-6
Novel 18-crown-6 organometallic rubidium and cesium complexes containing cyclopentadienyl, indenyl, pentamethylcyclopentadienyl, and fluorenyl as carbanions, 59

Crystal field analysis
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: L. Experimentelle Erfassung und Simulation der Elektronenstruktur des ersten metallorganischen π-Komplexes eines Lanthanids der zweiten Halbserie: $(\eta^5\text{-}Cp)_3Er{\cdot}CNC_6H_{11}$, 296

Crystal structure
Oxidative addition of alkyl halides to chiral cyclometallated platinum(II) complexes with thienyl imines. X-ray crystal structure of $[PtMe\{3\text{-}((S)\text{-}PhCHMeNCH)C_4H_2S\}SMe_2]$, 178
Reactions of nickelocene with diphenylmethyl- and triphenylmethyllithium, 241
Reactions of trifluorovinyl-trifluoromethylboron derivatives, structure of $(F_2C{=}CF)(F_3C)_2B{\cdot}NHMe_2$ and $(HOOC)\text{-}(F_3C)_2B{\cdot}NHMe_2$, 43
Structures and spectroelectrochemistry (UV–vis, IR, EPR) of complexes $[(OC)_3ClRe]_n(abpy)$, $n = 1$, 2; abpy = 2,2′-azobispyridine, 267
Synthesis and crystal structures of $[Rh(TTP)(CH_3)]_2(\mu\text{-}CNpy)$ and $[Rh(TTP)(C_8H_{11})]$ (TTP = 5,10,15,20-tetra(*p*-tolyl)porphyrin dianion; CNpy = 4-cyanopyridine; C_8H_{11} = (5-norbornen-2-yl)methyl), 197
Synthesis, structure and reactions of 1-(*p*-chlorophenyl)-3-(2,4,6-tri-*t*-butylphenyl)-1-aza-3-phospha-allene, 260
2,2′:6′,2″-Terpyridine complexes of molybdenum(II) and tungsten(II). X-ray crystal structures of $[MoI(CO)(terpy)(\eta^2\text{-}PhC_2Ph)]I$ and $[WI(terpy)(\eta^2\text{-}PhC_2Ph)_2]I{\cdot}CDCl_3$, 191

Crystal structures
Mixed carbonyl–nitrile complexes of dirhenium(II). The structural characterization and reactivity of salts of the $[Re_2Cl_3(\mu\text{-dppm})_2(CO)(NCMe)_n]^+$ cations (dppm = $Ph_2PCH_2PPh_2$, $n = 1$ or 2), 219

Cumulenes
Synthesis and properties of chiral rhenium pentatetraenylidene complexes of the formula $[(\eta^5\text{-}C_5Me_5)Re(NO)(PPh_3)(=C=C=C=CAr_2)]^+ BF_4^-$ (CAr_2 = 9-fluorenylidene), 52
Cyclometallation
Oxidative addition of alkyl halides to chiral cyclometallated platinum(II) complexes with thienyl imines. X-ray crystal structure of [PtMe{3-((*S*)-PhCHMeNCH)C_4H_2S}SMe_2], 178
Cyclopentadienyl
Cationic molybdenum complexes with P-coordinated (diphenylphosphino)alkynes, 234
Novel 18-crown-6 organometallic rubidium and cesium complexes containing cyclopentadienyl, indenyl, pentamethylcyclopentadienyl, and fluorenyl as carbanions, 59
Reactions of nickelocene with diphenylmethyl- and triphenylmethyllithium, 241
Cyclopentadienyl complexes
Phosphane coordination to rare earth metal centers: monomeric, solvent-free complexes of type Cp'_2LnX with phosphanoethyl substituted cyclopentadienyl ligands, 72
Cyclopentadienyl–ethyl ligand
Chelated η^5-cyclopentadienyl-η-ethyl complexes of molybdenum and tungsten; molecular structure of $W(\eta^5\text{-}C_5H_4CH_2\text{-}\eta\text{-}CH_2)(CO)_3$, 126
Cyclopentadienyl ligand
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: L. Experimentelle Erfassung und Simulation der Elektronenstruktur des ersten metallorganischen π-Komplexes eines Lanthanids der zweiten Halbserie: $(\eta^5\text{-}Cp)_3Er\text{-}CNC_6H_{11}$, 296

Dialacycle
Synthesis and structure of fluorinated dialacycles, 132
Diazenido ligand
Reaction of $[(\mu\text{-}RE)(\mu\text{-}CO)Fe_2(CO)_6]^-$ (E = S, Se) with N_2CHCO_2Me. Synthesis and characterisation of $(\mu\text{-}RE)[\mu\text{-}\eta^2\text{-}N{=}NCH(R')CO_2Me]Fe_2(CO)_6$ and $(\mu\text{-}PhSe)[\mu\text{-}\eta^1\text{-}N{=}NCH(Me)CO_2Me]Fe_2(CO)_6$, 214
1,3-Dibutadiynyl
Synthesis and properties of chiral rhenium pentatetraenylidene complexes of the formula $[(\eta^5\text{-}C_5Me_5)Re(NO)(PPh_3)(=C=C=C=CAr_2)]^+ BF_4^-$ (CAr_2 = 9-fluorenylidene), 52
Digermene
Reaction of trimethylsilyl azide with a digermene in the presence of water: 1,2-addition of hydrazoic acid, 211
Dimerization of alkynes
Diverse catalytic activity of the cationic actinide complex $[(Et_2N)_3U][BPh_4]$ in the dimerization and hydrosilylation of terminal alkynes. Characterization of the first f-element alkyne π-complex $[(Et_2N)_2U(C{\equiv}C'Bu)(\eta^2\text{-}HC{\equiv}C'Bu)][BPh_4]$, 83
Dinuclear
Synthesis and crystal structures of $[Rh(TTP)(CH_3)]_2(\mu\text{-}CNpy)$ and $[Rh(TTP)(C_8H_{11})]$ (TTP = 5,10,15,20-tetra(*p*-tolyl)porphyrin dianion; CNpy = 4-cyanopyridine; C_8H_{11} = (5-norbornen-2-yl)methyl), 197
Dinuclear complex
Structures and spectroelectrochemistry (UV–vis, IR, EPR) of complexes $[(OC)_3ClRe]_n(abpy)$, n = 1, 2; abpy = 2,2'-azobispyridine, 267
Dirhenium(II) complexes
Mixed carbonyl–nitrile complexes of dirhenium(II). The structural characterization and reactivity of salts of the $[Re_2Cl_3(\mu\text{-}dppm)_2(CO)(NCMe)_n]^+$ cations (dppm = $Ph_2PCH_2PPh_2$, n = 1 or 2), 219
Double metal cyanide
The organometallic double metal cyanide $[(Me_2Sn)_3\{Co(CN)_6\}_2{\cdot}6H_2O]$. A three-dimensional framework of infinite, stapled ribbons, 34

(*E*)-β-Aminovinylsilanes
Réactivité du 3,3-bis(triméthylsilyl)propène vis-à-vis des ions iminium issus d'amines secondaires. Accès stéréosélectif à des (*E*)-β-aminovinylsilanes, 186
Epoxysilanes
Unprecedented effects of the trimethylsilyl group on the reactivity of 3C-silylated silacyclopentenes and their derivatives, 141
EPR spectrum
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: L. Experimentelle Erfassung und Simulation der Elektronenstruktur des ersten metallorganischen π-Komplexes eines Lanthanids der zweiten Halbserie: $(\eta^5\text{-}Cp)_3Er\text{-}CNC_6H_{11}$, 296
Erbium
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: L. Experimentelle Erfassung und Simulation der Elektronenstruktur des ersten metallorganischen π-Komplexes eines Lanthanids der zweiten Halbserie: $(\eta^5\text{-}Cp)_3Er\text{-}CNC_6H_{11}$, 296

Ferrocene
Schiff base linked ferrocenyl complexes for second-order nonlinear optics, 248
Schiff base linked ferrocenyl complexes for second-order nonlinear optics, 248
Two convenient new syntheses of ferrocenoyl chloride by triphosgene, 287
Ferrocene carboxylic acid
Two convenient new syntheses of ferrocenoyl chloride by triphosgene, 287
Ferrocenoyl chloride
Two convenient new syntheses of ferrocenoyl chloride by triphosgene, 287
Fluorenyl
Novel 18-crown-6 organometallic rubidium and cesium complexes containing cyclopentadienyl, indenyl, pentamethylcyclopentadienyl, and fluorenyl as carbanions, 59
Synthesis and properties of chiral rhenium pentatetraenylidene complexes of the formula $[(\eta^5\text{-}C_5Me_5)Re(NO)(PPh_3)(=C=C=C=CAr_2)]^+ BF_4^-$ (CAr_2 = 9-fluorenylidene), 52

Germanium
Reaction of trimethylsilyl azide with a digermene in the presence of water: 1,2-addition of hydrazoic acid, 211

Hafnium
Synthetic and reactivity studies of mono- and dicyclopentadienyl titanium, zirconium and hafnium complexes with the chlorodimethylsilyl-cyclopentadienyl ligand. X-ray molecular structure of $Hf\{(\eta^5\text{-}C_5H_4)SiMe_2OSiMe_2(\eta^5\text{-}C_5H_4)\}Cl_2$ and $Zr(\eta^5\text{-}1,3\text{-}{}^tBu_2C_5H_3)(\eta^5\text{-}C_5H_4SiMe_2\text{-}\eta\text{-}N^tBu)Cl$, 103
Hafnium complexes
Darstellung und Eigenschaften Heterobimetallischer Komplexe — Kristallstruktur von $[(acac)_3Zr\text{–}OCCo_3(CO)_9]$, 68
Hetero arene complexes
Novel synthesis of indazoles from (η^6-arene)tricarbonylchromium complexes, 157
Homoleptic zirconium phosphinoamide complex
Formation of elastomeric polypropylene promoted by the dynamic complexes $[TiCl_2\{N(PPh_2)_2\}_2]$ and $[Zr(NPhPPh_2)_4]$, 116

Hydrazoic acid
Reaction of trimethylsilyl azide with a digermene in the presence of water: 1,2-addition of hydrazoic acid, 211
Hydrosilylation
Diverse catalytic activity of the cationic actinide complex $[(Et_2N)_3U][BPh_4]$ in the dimerization and hydrosilylation of terminal alkynes. Characterization of the first f-element alkyne π-complex $[(Et_2N)_2U(C{\equiv}C^tBu)(\eta^2\text{-}HC{\equiv}C^tBu)][BPh_4]$, 83

Indazoles
Novel synthesis of indazoles from (η^6-arene)tricarbonylchromium complexes, 157
Indenyl
Novel 18-crown-6 organometallic rubidium and cesium complexes containing cyclopentadienyl, indenyl, pentamethylcyclopentadienyl, and fluorenyl as carbanions, 59
Insertion
Synthesis, structure and reactions of 1-(*p*-chlorophenyl)-3-(2,4,6-tri-*t*-butylphenyl)-1-aza-3-phospha-allene, 260
Ionic liquid
Reactions of trifluorovinyl-trifluoromethylboron derivatives, structure of $(F_2C{=}CF)(F_3C)_2B{\cdot}NHMe_2$ and $(HOOC)(F_3C)_2B{\cdot}NHMe_2$, 43
Iridium
Metal-induced B–H activation. Addition of phenylacetylene to Cp*Rh-, Cp*Ir-, (*p*-cymene)Ru- and (*p*-cymene)Os half-sandwich complexes containing a chelating 1,2-dicarba-*closo*-dodecaborane-1,2-dichalcogenolate ligand, 170
Iron
Cationic molybdenum complexes with P-coordinated (diphenylphosphino)alkynes, 234
Reaction of $[(\mu\text{-}RE)(\mu\text{-}CO)Fe_2(CO)_6]^-$ (E = S, Se) with N_2CHCO_2Me. Synthesis and characterisation of $(\mu\text{-}RE)[\mu\text{-}\eta^2\text{-}N{=}NCH(R')CO_2Me]Fe_2(CO)_6$ and $(\mu\text{-}PhSe)[\mu\text{-}\eta^1\text{-}N{=}NCH(Me)CO_2Me]Fe_2(CO)_6$, 214
Syntheses and reactions of ruthenium complexes containing C_6 and C_8 chains, 150
Isotope effects
Rigid five-coordinate diorganotin derivatives of oxalic acid diamides, studied by ^{119}Sn-NMR and X-ray structural analysis, 229

Lewis acid
Synthesis and structure of fluorinated dialacycles, 132
Lewis acid–base adducts
First structural characterization of completely alkyl-substituted Al–Sb Lewis acid–base adducts, 202
Linear
Alkyl migration reactions—the direct observation of the preferential migration of branched over linear alkyl groups, 7

Macrocyclic chemistry
Synthesis and molecular structures of dimeric boron compounds, 273
Main group chemistry
First structural characterization of completely alkyl-substituted Al–Sb Lewis acid–base adducts, 202
Mixed dicyclopentadienyl
Synthetic and reactivity studies of mono- and dicyclopentadienyl titanium, zirconium and hafnium complexes with the chlorodimethylsilyl-cyclopentadienyl ligand. X-ray molecular structure of $Hf\{(\eta^5\text{-}C_5H_4)SiMe_2OSiMe_2(\eta^5\text{-}C_5H_4)\}Cl_2$ and $Zr(\eta^5\text{-}1,3\text{-}{}^tBu_2C_5H_3)(\eta^5\text{-}C_5H_4SiMe_2\text{-}\eta\text{-}N^tBu)Cl$, 103
Molecular structure
Formation of elastomeric polypropylene promoted by the dynamic complexes $[TiCl_2\{N(PPh_2)_2\}_2]$ and $[Zr(NPhPPh_2)_4]$, 116

Molybdenum
Cationic molybdenum complexes with P-coordinated (diphenylphosphino)alkynes, 234
Chelated η^5-cyclopentadienyl-η-ethyl complexes of molybdenum and tungsten; molecular structure of $W(\eta^5\text{-}C_5H_4CH_2\text{-}\eta\text{-}CH_2)(CO)_3$, 126
2,2′:6′,2″-Terpyridine complexes of molybdenum(II) and tungsten(II). X-ray crystal structures of $[MoI(CO)(terpy)(\eta^2\text{-}PhC_2Ph)]I$ and $[WI(terpy)(\eta^2\text{-}PhC_2Ph)_2]I{\cdot}CDCl_3$, 191

Nickel
Reactions of nickelocene with diphenylmethyl- and triphenylmethyllithium, 241
Nitrile complexes
Mixed carbonyl–nitrile complexes of dirhenium(II). The structural characterization and reactivity of salts of the $[Re_2Cl_3(\mu\text{-}dppm)_2(CO)(NCMe)_n]^+$ cations (dppm = $Ph_2PCH_2PPh_2$, $n = 1$ or 2), 219
NMR
Metal-induced B–H activation. Addition of phenylacetylene to Cp*Rh-, Cp*Ir-, (*p*-cymene)Ru- and (*p*-cymene)Os half-sandwich complexes containing a chelating 1,2-dicarba-*closo*-dodecaborane-1,2-dichalcogenolate ligand, 170
Rigid five-coordinate diorganotin derivatives of oxalic acid diamides, studied by ^{119}Sn-NMR and X-ray structural analysis, 229
2D-NMR
The mechanism of C–C bond formation on the Pt(IV) center involving chelate metallocycle ligands, 290
Nonlinear optics
Schiff base linked ferrocenyl complexes for second-order nonlinear optics, 248

Organoactinide
Diverse catalytic activity of the cationic actinide complex $[(Et_2N)_3U][BPh_4]$ in the dimerization and hydrosilylation of terminal alkynes. Characterization of the first f-element alkyne π-complex $[(Et_2N)_2U(C{\equiv}C^tBu)(\eta^2\text{-}HC{\equiv}C^tBu)][BPh_4]$, 83
Os_3 clusters
Syntheses and crystal structure of bridged Os_3-clusters with chiral 3-carane-type ligands, 1
Osmium
Metal-induced B–H activation. Addition of phenylacetylene to Cp*Rh-, Cp*Ir-, (*p*-cymene)Ru- and (*p*-cymene)Os half-sandwich complexes containing a chelating 1,2-dicarba-*closo*-dodecaborane-1,2-dichalcogenolate ligand, 170
Osmium carbonyl clusters
Syntheses and crystal structure of bridged Os_3-clusters with chiral 3-carane-type ligands, 1
Oxetane
Decomposition of the crown ether ring in the reaction of K^-, $K^+(15\text{-crown-}5)_2$ with oxetane, 283
Oxidative addition
Oxidative addition of alkyl halides to chiral cyclometallated platinum(II) complexes with thienyl imines. X-ray crystal structure of $[PtMe\{3\text{-}((S)\text{-}PhCHMeNCH)C_4H_2S\}SMe_2]$, 178

Paramagnetic susceptibility
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: L. Experimentelle Erfassung und Simulation der Elektronenstruktur des ersten metallorganischen π-Komplexes eines Lanthanids der zweiten Halbserie: $(\eta^5\text{-}Cp)_3Er{\cdot}CNC_6H_{11}$, 296
Pentamethylcyclopentadienyl
Novel 18-crown-6 organometallic rubidium and cesium complexes containing cyclopentadienyl, indenyl, pentamethylcyclopentadienyl, and fluorenyl as carbanions, 59

Pentatetraenylidene
Synthesis and properties of chiral rhenium pentatetraenylidene complexes of the formula $[(\eta^5\text{-}C_5Me_5)Re(NO)(PPh_3)(=C=C=C=CAr_2)]^+ BF_4^-$ (CAr_2 = 9-fluorenylidene), 52
Perfluorinated
Synthesis and structure of fluorinated dialacycles, 132
Phosphaazaallene
Synthesis, structure and reactions of 1-(*p*-chlorophenyl)-3-(2,4,6-tri-*t*-butylphenyl)-1-aza-3-phospha-allene, 260
Phosphinoalkyne
Cationic molybdenum complexes with P-coordinated (diphenylphosphino)alkynes, 234
Phosphorus
Synthesis, structure and reactions of 1-(*p*-chlorophenyl)-3-(2,4,6-tri-*t*-butylphenyl)-1-aza-3-phospha-allene, 260
Photolysis of dihydro-9-silaanthracene
Synthesis, structure, and photochemical reaction of 9,10-dihydro-9-silaanthracene derivatives carrying bulky substituents, 20
pK_a in THF
Carbanion mechanisms XXI. Solution acidity of triphenylsilane, 208
Platinum
Oxidative addition of alkyl halides to chiral cyclometallated platinum(II) complexes with thienyl imines. X-ray crystal structure of $[PtMe\{3\text{-}((S)\text{-}PhCHMeNCH)C_4H_2S\}SMe_2]$, 178
Polymerisation of propylene
Formation of elastomeric polypropylene promoted by the dynamic complexes $[TiCl_2\{N(PPh_2)_2\}_2]$ and $[Zr(NPhPPh_2)_4]$, 116
Potassium anion
Decomposition of the crown ether ring in the reaction of K^-, $K^+(15\text{-crown-}5)_2$ with oxetane, 283
Pt(IV)
The mechanism of C–C bond formation on the Pt(IV) center involving chelate metallocycle ligands, 290
^{195}Pt-NMR
The mechanism of C–C bond formation on the Pt(IV) center involving chelate metallocycle ligands, 290

Rare earth metal complexes
Phosphane coordination to rare earth metal centers: monomeric, solvent-free complexes of type Cp'_2LnX with phosphanoethyl substituted cyclopentadienyl ligands, 72
Rhenium
Synthesis and properties of chiral rhenium pentatetraenylidene complexes of the formula $[(\eta^5\text{-}C_5Me_5)Re(NO)(PPh_3)(=C=C=C=CAr_2)]^+ BF_4^-$ (CAr_2 = 9-fluorenylidene), 52
Rhenium complexes
Mixed carbonyl–nitrile complexes of dirhenium(II). The structural characterization and reactivity of salts of the $[Re_2Cl_3(\mu\text{-dppm})_2(CO)(NCMe)_n]^+$ cations (dppm = $Ph_2PCH_2PPh_2$, n = 1 or 2), 219
Rhenium compounds
Structures and spectroelectrochemistry (UV–vis, IR, EPR) of complexes $[(OC)_3ClRe]_n(abpy)$, n = 1, 2; abpy = 2,2′-azobispyridine, 267
Rhodium
Metal-induced B–H activation. Addition of phenylacetylene to Cp*Rh-, Cp*Ir-, (*p*-cymene)Ru- and (*p*-cymene)Os half-sandwich complexes containing a chelating 1,2-dicarba-*closo*-dodecaborane-1,2-dichalcogenolate ligand, 170
Rhodium-catalyzed reduction of α-amino acid precursors using chiral 4-(diphenylphosphanyl)-1-(dialkylamino)butane ligands, 99
Rhodium porphyrin
Synthesis and crystal structures of $[Rh(TTP)(CH_3)]_2(\mu\text{-CNpy})$ and $[Rh(TTP)(C_8H_{11})]$ (TTP = 5,10,15,20-tetra(*p*-tolyl)porphyrin dianion; CNpy = 4-cyanopyridine; C_8H_{11} = (5-norbornen-2-yl)methyl), 197
Rubidium
Novel 18-crown-6 organometallic rubidium and cesium complexes containing cyclopentadienyl, indenyl, pentamethylcyclopentadienyl, and fluorenyl as carbanions, 59
Ruthenium
Syntheses and reactions of ruthenium complexes containing C_6 and C_8 chains, 150
Ruthenium, Selenium
Metal-induced B–H activation. Addition of phenylacetylene to Cp*Rh-, Cp*Ir-, (*p*-cymene)Ru- and (*p*-cymene)Os half-sandwich complexes containing a chelating 1,2-dicarba-*closo*-dodecaborane-1,2-dichalcogenolate ligand, 170

Salicylideneaminoethanol
Synthesis and molecular structures of dimeric boron compounds, 273
Schiff-base
Schiff base linked ferrocenyl complexes for second-order nonlinear optics, 248
Secondary amines
Réactivité du 3,3-bis(triméthylsilyl)propène vis-à-vis des ions iminium issus d'amines secondaires. Accès stéréosélectif à des (*E*)-β-aminovinylsilanes, 186
Selectivity
Alkyl migration reactions—the direct observation of the preferential migration of branched over linear alkyl groups, 7
Selenium
Reaction of $[(\mu\text{-RE})(\mu\text{-CO})Fe_2(CO)_6]^-$ (E = S, Se) with N_2CHCO_2Me. Synthesis and characterisation of $(\mu\text{-RE})[\mu\text{-}\eta^2\text{-}N{=}NCH(R')CO_2Me]Fe_2(CO)_6$ and $(\mu\text{-PhSe})[\mu\text{-}\eta^1\text{-}N{=}NCH(Me)CO_2Me]Fe_2(CO)_6$, 214
Silaaromatics
Synthesis, structure, and photochemical reaction of 9,10-dihydro-9-silaanthracene derivatives carrying bulky substituents, 20
Silicon
Unprecedented effects of the trimethylsilyl group on the reactivity of 3C-silylated silacyclopentenes and their derivatives, 141
Silyl anions
Carbanion mechanisms XXI. Solution acidity of triphenylsilane, 208
Small rings
Reactions of trifluorovinyl-trifluoromethylboron derivatives, structure of $(F_2C{=}CF)(F_3C)_2B{\cdot}NHMe_2$ and $(HOOC)(F_3C)_2B{\cdot}NHMe_2$, 43
Solid state NMR
^{59}Co-NMR spectroscopy of the tetrahedral cluster $Co_4(CO)_{12}$: relaxation and exchange, 27
Spectroelectrochemistry
Structures and spectroelectrochemistry (UV–vis, IR, EPR) of complexes $[(OC)_3ClRe]_n(abpy)$, n = 1, 2; abpy = 2,2′-azobispyridine, 267
Stapled ribbons
The organometallic double metal cyanide $[(Me_2Sn)_3\{Co(CN)_6\}_2{\cdot}6H_2O]$. A three-dimensional framework of infinite, stapled ribbons, 34
Structure
Reaction of $[(\mu\text{-RE})(\mu\text{-CO})Fe_2(CO)_6]^-$ (E = S, Se) with N_2CHCO_2Me. Synthesis and characterisation of $(\mu\text{-RE})[\mu\text{-}\eta^2\text{-}N{=}NCH(R')CO_2Me]Fe_2(CO)_6$ and $(\mu\text{-PhSe})[\mu\text{-}\eta^1\text{-}N{=}NCH(Me)CO_2Me]Fe_2(CO)_6$, 214
Structure of dihydro-9-silaanthracene
Synthesis, structure, and photochemical reaction of 9,10-dihydro-9-silaanthracene derivatives carrying bulky substituents, 20

Sulfur
Metal-induced B–H activation. Addition of phenylacetylene to Cp*Rh-, Cp*Ir-, (*p*-cymene)Ru- and (*p*-cymene)Os half-sandwich complexes containing a chelating 1,2-dicarba-*closo*-dodecaborane-1,2-dichalcogenolate ligand, 170
Reaction of $[(\mu\text{-RE})(\mu\text{-CO})Fe_2(CO)_6]^-$ (E = S, Se) with N_2CHCO_2Me. Synthesis and characterisation of $(\mu\text{-RE})[\mu\text{-}\eta^2\text{-N=NCH(R')CO}_2\text{Me}]Fe_2(CO)_6$ and $(\mu\text{-PhSe})[\mu\text{-}\eta^1\text{-N=NCH(Me)CO}_2\text{Me}]Fe_2(CO)_6$, 214
Surfactant
Rhodium-catalyzed reduction of α-amino acid precursors using chiral 4-(diphenylphosphanyl)-1-(dialkylamino)butane ligands, 99
Synthesis
Reaction of $[(\mu\text{-RE})(\mu\text{-CO})Fe_2(CO)_6]^-$ (E = S, Se) with N_2CHCO_2Me. Synthesis and characterisation of $(\mu\text{-RE})[\mu\text{-}\eta^2\text{-N=NCH(R')CO}_2\text{Me}]Fe_2(CO)_6$ and $(\mu\text{-PhSe})[\mu\text{-}\eta^1\text{-N=NCH(Me)CO}_2\text{Me}]Fe_2(CO)_6$, 214
Unprecedented effects of the trimethylsilyl group on the reactivity of 3C-silylated silacyclopentenes and their derivatives, 141

Tcne
Syntheses and reactions of ruthenium complexes containing C_6 and C_8 chains, 150
Terpenoid
Syntheses and crystal structure of bridged Os_3-clusters with chiral 3-carane-type ligands, 1
Terpyridine
2,2':6',2''-Terpyridine complexes of molybdenum(II) and tungsten(II). X-ray crystal structures of $[MoI(CO)(terpy)(\eta^2\text{-PhC}_2\text{Ph})]I$ and $[WI(terpy)(\eta^2\text{-PhC}_2\text{Ph})_2]I\cdot CDCl_3$, 191
Tetracobaltdodecacarbonyl
^{59}Co-NMR spectroscopy of the tetrahedral cluster $Co_4(CO)_{12}$: relaxation and exchange, 27
Tetrahydroindenyl ligand
Synthesis and structure of *ansa*-metallocene complexes (M = $ZrCl_2$, $TiCl_2$, YCl, and LuCl) containing the bis(2-methyl-4,5,6,7-tetrahydroinden-yl)dimethylsilane ligand, 12
Thienylimines
Oxidative addition of alkyl halides to chiral cyclometallated platinum(II) complexes with thienyl imines. X-ray crystal structure of $[PtMe\{3\text{-}((S)\text{-PhCHMeNCH})C_4H_2S\}SMe_2]$, 178
Three-dimensional framework
The organometallic double metal cyanide $[(Me_2Sn)_3\{Co(CN)_6\}_2\cdot 6H_2O]$. A three-dimensional framework of infinite, stapled ribbons, 34
Tin
Rigid five-coordinate diorganotin derivatives of oxalic acid diamides, studied by ^{119}Sn-NMR and X-ray structural analysis, 229
Titanium
Synthetic and reactivity studies of mono- and dicyclopentadienyl titanium, zirconium and hafnium complexes with the chlorodimethylsilyl-cyclopentadienyl ligand. X-ray molecular structure of $Hf\{(\eta^5\text{-}C_5H_4)SiMe_2OSiMe_2(\eta^5\text{-}C_5H_4)\}Cl_2$ and $Zr(\eta^5\text{-}1,3\text{-}^tBu_2C_5H_3)(\eta^5\text{-}C_5H_4SiMe_2\text{-}\eta\text{-}N^tBu)Cl$, 103
Titanium bisamido dichloride complex
Formation of elastomeric polypropylene promoted by the dynamic complexes $[TiCl_2\{N(PPh_2)_2\}_2]$ and $[Zr(NPhPPh_2)_4]$, 116
Titanocene dichloride
Synthesis and structure of *ansa*-metallocene complexes (M = $ZrCl_2$, $TiCl_2$, YCl, and LuCl) containing the bis(2-methyl-4,5,6,7-tetrahydroinden-yl)dimethylsilane ligand, 12
Trifluoromethyl group
Reactions of trifluorovinyl-trifluoromethylboron derivatives, structure of $(F_2C{=}CF)(F_3C)_2B\cdot NHMe_2$ and $(HOOC)\text{-}(F_3C)_2B\cdot NHMe_2$, 43
3-Trimethylsilyl-3-silacyclopentenes
Unprecedented effects of the trimethylsilyl group on the reactivity of 3C-silylated silacyclopentenes and their derivatives, 141
Triphenylsilane
Carbanion mechanisms XXI. Solution acidity of triphenylsilane, 208
Triphosgene
Two convenient new syntheses of ferrocenoyl chloride by triphosgene, 287
Tungsten
Chelated η^5-cyclopentadienyl-η-ethyl complexes of molybdenum and tungsten; molecular structure of $W(\eta^5\text{-}C_5H_4CH_2\text{-}\eta\text{-}CH_2)(CO)_3$, 126
2,2':6',2''-Terpyridine complexes of molybdenum(II) and tungsten(II). X-ray crystal structures of $[MoI(CO)(terpy)(\eta^2\text{-PhC}_2\text{Ph})]I$ and $[WI(terpy)(\eta^2\text{-PhC}_2\text{Ph})_2]I\cdot CDCl_3$, 191

Vinylsilanes
Unprecedented effects of the trimethylsilyl group on the reactivity of 3C-silylated silacyclopentenes and their derivatives, 141

X-ray
Metal-induced B–H activation. Addition of phenylacetylene to Cp*Rh-, Cp*Ir-, (*p*-cymene)Ru- and (*p*-cymene)Os half-sandwich complexes containing a chelating 1,2-dicarba-*closo*-dodecaborane-1,2-dichalcogenolate ligand, 170
Rigid five-coordinate diorganotin derivatives of oxalic acid diamides, studied by ^{119}Sn-NMR and X-ray structural analysis, 229
X-ray structure
Darstellung und Eigenschaften Heterobimetallischer Komplexe — Kristallstruktur von $[(acac)_2Zr\text{–}OCCo_3(CO)_9]$, 68

Yttrium trichlorides
Synthesis, structure and reactions of 1-(*p*-chlorophenyl)-3-(2,4,6-tri-*t*-butylphenyl)-1-aza-3-phospha-allene, 260

Zirconium
Synthetic and reactivity studies of mono- and dicyclopentadienyl titanium, zirconium and hafnium complexes with the chlorodimethylsilyl-cyclopentadienyl ligand. X-ray molecular structure of $Hf\{(\eta^5\text{-}C_5H_4)SiMe_2OSiMe_2(\eta^5\text{-}C_5H_4)\}Cl_2$ and $Zr(\eta^5\text{-}1,3\text{-}^tBu_2C_5H_3)(\eta^5\text{-}C_5H_4SiMe_2\text{-}\eta\text{-}N^tBu)Cl$, 103
Zirconocene dichloride
Synthesis and structure of *ansa*-metallocene complexes (M = $ZrCl_2$, $TiCl_2$, YCl, and LuCl) containing the bis(2-methyl-4,5,6,7-tetrahydroinden-yl)dimethylsilane ligand, 12